

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

Appl. No.: **09/739,252**
Inventors: **CSONKA, Jacqueline V.; et al.**
Filed: **December 19, 2000**
Title: **TRACE PAD INTERFACE FOR IMPROVED SIGNAL QUALITY**
Art Unit: **2841**
Examiner: **VIGUSHIN, John B.**
Docket No.: **51636/223**

Mail Stop Issue Fee
U.S. Patent & Trademark Office
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

Sir:

This is further to the Notice of Drawing Inconsistency with Specification dated July 6, 2007.

IN THE DRAWINGS:

Please replace all previous drawing sheets with the replacement drawing sheets submitted herewith.

REMARKS:

Applicant acknowledges an inconsistency between the drawings submitted on February 21, 2007 and those filed with a preliminary amendment on December 19, 2000 and hereby provides replacement drawings to correct such inconsistency.


The replacement drawing sheets submitted herewith include formal drawings for Figures 1A, 1B and 1C submitted with the above-noted preliminary amendment, a new drawing sheet for

Figures 2A and 3 (removing previous Figure 1, submitted in error), and corrected Figures 7 and 8 to include the revisions per the above-noted preliminary amendment. Applicant notes that Figures 4A, 2B, 6, 4 and 5 are unchanged, however, replacement sheets are submitted (with the complete set), for consistency.

Applicant believes that the replacement set of drawings submitted herewith is consistent with the specification and thus overcomes the inconsistency raised in the above-notice Notice.

Applicant requests that the attached replacement drawing sheets be entered in the above-noted application, that the application be placed in good standing, and that the issue and publication fees paid on January 3, 2007 be applied.

Respectfully submitted,



Brett J. Stanley
Agent for Applicant
Registration No. 58,772

Date: August 1, 2007

BLAKE, CASSELS & GRAYDON LLP
Suite 2800, P.O. Box 25
199 Bay Street, Commerce Court West
Toronto, Ontario M5L 1A9
CANADA

Tel: 416.863.2518

BSL/
21666352.1